



## The Collection of Multi User Transmission Data Using Common Currency Auditing

**Md.Abdulla**

M.Tech Software Engineering,  
Information Technology,

Christu Jyoti Institute of Technology and Science.

**G.Rama Rao**

Associate Professor,  
Information Technology,

Christu Jyoti Institute of Technology and Science.

### ABSTRACT:

For many years, the rapid development of cloud storage services in the cloud, users can exchange information with each other yet. General cloud data users, but the integrity of the book in order to improve data integrity and trust, and in many areas to ensure that the study data support and social integration of energy means, for example, a small communication / audit process for computing focus on cost, it offers less protection and savings. However, client-only applications, and the way information is shared only in the sense of the original sensitive data change. Recently, many users to change the cloud and data integrity in several attempts to start thinking in real situations. To / on the book in the process of secure communication. Want-meet.ru identity theft attacks hit, now considered a strategic choice for multi-user configuration. Us to support effective action plans to increase the number of copies. the rate of data corruption is possible and allows the test EC2 cloud customers the realization of various equipment and communication cost.

### INTRODUCTION:

One day, the new system now supports multi-user configuration. Push to save a copy of the work. The solution, the authors, are supported by a lot of important data information ensures data integrity by eliminating the need to expand, and remain online for reborn General Motors did in the past to collect their ID cards. This fee, or required the expansion of this type of work with a cloud storage platform to create such situations from recurring. We care accounts and a way to support the effective range as designed. At the same time we are able to analyze the costs of all the files. So, you can easily change our tactics, there to support the implementation of effective security VCSs seal is a program. Among other things, the provision of services, and has presented a series of proposals. To any party for any verification of the integrity of data stored in the cloud. Strategy he / main public roads is proposed to us, the fact that you can use with public domain books to the faithful allow any cloud.

### SYSTEM PRELIMINARIES

#### DATA OWNER

#### DATA OWNER REGISTRATION:

A unit of the master file to the cloud server. He / she must log into the server. Later, however, he / she can do. To do this, you must complete the registration information. This information will always be informed.

#### OWNER LOGIN:

In this module, any person to enter the above, and given their e-mail ID and password should be mentioned.

#### USER REGISTRATION:

The unit of data stored in the cloud that the user wants to use, he / she will have to put your data in the first register. Follow this information in a database.

#### USER LOGIN:

If the user is an authorized user, he/she can download the file by using file id which has been stored by data owner when it was uploading.

#### THIRD PARTY AUDITOR

#### THIRDPARTYAUDITOR

#### REGISTRATION:

In this module, if a third party auditor TPA (maintainer of clouds) wants to do some cloud offer they should register first. Here we are doing like, this system allows only three cloud serviceproviders.

#### THIRDPARTY AUDITOR LOGIN:

After third party auditor gets logged in, He/ She can see how many data owners have uploaded their files into the cloud. Here we are providing three tpa for maintaining three different clouds.

**DATA SHARING:** We check the integrity of the bands of clouds changing situation, we want to exchange data.



# International Journal of Research in Advanced Computer Science Engineering

A Peer Reviewed Open Access International Journal  
www.ijracse.com

Information about the distribution of this data is a common sign of the cloud has been changed, and that before the first group of a group of consumers. Outsourcing Supply cloud data sources, and data exchange in front of the user's most important responsibility. You can see the integrity of data in the cloud with social group and shared an interesting problem - to protect the confidentiality of information - user data transfer reduces the new team members.

## RELATED WORK:

How many researchers devoted to the issue of outsourcing is to save a secure remote cloud service. Remote data validation integration many researchers have suggested the issue at hand. Concepts and solutions provable income statement (PDP) and testimonials receiver (Portugal) Ateniense provided Juels. Weaving strategies, calculate the cost of the form of communication, but also to a lack symmetric authentication method. In addition, the number of variables and data and functionality designed to improve, update it using the main recommendations, to maintain the support of the people and the People's Democratic Party continues to develop strategies. Improve the work of Wang et al. Book with support for data integrity and a planned strategy adopted by retaining ring to protect the user's signature. Class sizes, as well as social support and a set of books with mathematical ideas, there is no limit to the number of data.

Want-meet.ru to promote the elimination of user support, and Wang is not intended to cancel the cloud-based strategy, the user has the possibility of collusion between servers. In fact, the new private cloud servers and users, and educational institutions, and the net session reveals the secrets of all other users think about the integrity of the transaction between the pair. Recently, social, security and user group on a strategy to protect the public from books want-meet.ru yuan to cancel. Polynomial system and marking system, an integrated strategy for the elimination of errors in the evaluation based on social assistance want-meet.ru channel sound for approval will be useful to update the file. However, the book does not save encrypted text. Furthermore, an effective strategy, key data (redundant data with a private key) to cancel the process want-meet.ru want-meet.ru some user display and user data will be canceled as part of the cloud harm consumers to move, and. Enables customers to outsource the task to calculate the pressure, it is believed that you can check the official de Janeiro.

However, given the complexity of effective practical application of uniform. Moreover, the same strategy of cigarettes attempted extortion loss of farm spending on server platforms based on customer-focused, you get a bit more information. However, the public is not allowed to discuss the asset verification system. Catalano inspection Fiore and practical solutions to your network (BDD) that must be installed to check the commitment to support the people. Hard-edge concepts the two projects to take advantage of the outsourcing business and customer resources. Chaum and steal a team full signature. In particular ensures that the name is a message indicating signed by each member of the group want-meet.ru, and. But to maintain the confidentiality of the information ended up signing a contract. Often, a third party who uses the name, trapdoor is sure is signed. Something that the human neutralizing Unrevoked support the elimination of the potential impact on the sign. Hacham Beneh powerful symbol and the proposed elimination of the class. Therefore, the subject's name and signature project provides impartial monitoring. In addition, strategies to check user meet.ru'll lifted only sending media can cancel an agreement. Liberty project was signed on the basis of the inalienable Publishing Group. However, the project, on the other hand, a group of users to the main reservoir. Usually this plan the private key, which Liebert to improve the shape of the future strategy is designed to have hatched. Heroes still cancel your plan members will be required to update their keys in the fabric.

## CONCLUSION:

Information for the user a secure and efficient analysis of a proposed project will achieve the transition to the accuracy of. Project coordination agreement, a significant difference (AQA) and user groups to achieve an acceptable distance from a data security audit data to cancel. We plan to provide security analysis, and it is a secret project and an anti-coup server was attacked by a group of users and remote cloud storage committee reports that are used for security appears is. In addition, the analysis showed similar performance to be less than expected, they are useful in different stages.

## REFERENCES:

- [1] Amazon. (2007) Amazon simple storage service (amazon s3). Amazon. [Online]. Available: <http://aws.amazon.com/s3/>



- [2] Google. (2005) Google drive. Google.[Online]. Available: <http://drive.google.com/>
- [3] Dropbox. (2007) A file-storage and sharing service. Dropbox.[Online]. Available: <http://www.dropbox.com/>
- [4] Mozy. (2007) An online, data, and computer backup software. EMC.[Online]. Available: <http://www.dropbox.com/>
- [5] Bitcasa. (2011) Infinite storage.Bitcasa.[Online]. Available: <http://www.bitcasa.com/>
- [6] Memopal. (2007) Online backup. Memopal.[Online]. Available: <http://www.memopal.com/>
- [7] M. A. et al., "Above the clouds: A berkeley view of cloud computing," Tech. Rep. UCBECS, vol. 28, pp. 1–23, Feb. 2009.
- [8] M. Rabin, "Efficient dispersal of information for security," Journal of the ACM (JACM), vol. 36(2), pp. 335–348, Apr. 1989.
- [9] J. G. et al. (2006) The expanding digital universe: A forecast of worldwide information growth through 2010. IDC. [Online]. Available: Whitepaper
- [10] G. Ateniese, R. Burns, R. Curtmola, J. Herring, L. Kissner, Z. Peterson, and D. Song, "Provable data possession at untrusted stores," in Proc. of ACM CCS, Virginia, USA, Oct. 2007, pp. 598–609.
- [11] A. Juels and B. S. Kaliski, "Pors: Proofs of retrievability for large files," in Proc. of ACM CCS, Virginia, USA, Oct. 2007, pp. 584–597.
- [12] K. D. Bowers, A. Juels, and A. Oprea, "Proofs of retrievability: theory and implementation," in Proc. of CCSW 2009, Illinois, USA, Nov. 2009, pp. 43–54.
- [13] Y. Dodis, S. Vadhan, and D. Wichs, "Proofs of retrievability via hardness amplification," in Proc. of TCC 2009, CA, USA, Mar. 2009, pp. 109–127.
- [14] Q. Wang, C. Wang, J. Li, K. Ren, and W. Lou, "Proofs of retrievability via hardness amplification," in Proc. of ESORICS2009, Saint-Malo, France, Sep. 2009, pp. 355–370.
- [15] C. Erway, A. Kupcu, C. Papamanthou, and R. Tamassia, "Dynamic provable data possession," in Proc. of ACM CCS, Illinois, USA, Nov. 2009, pp. 213–222.
- [16] C. Wang, Q. Wang, K. Ren, and W. Lou, "Privacy-preserving public auditing for data storage security in cloud computing," in Proc. of IEEE INFOCOM 2010, CA, USA, Mar. 2010, pp. 525–533.
- [17] J. Yuan and S. Yu, "Proofs of retrievability with public verifiability and constant communication cost in cloud," in Proc. of International Workshop on Security in Cloud Computing, Hangzhou, China, May 2013, pp. 19–26.
- [18] E. Shi, E. Stefanov, and C. Papamanthou, "Practical dynamic proofs of retrievability," in Proc. of ACM CCS 2013, Berlin, Germany, Nov. 2013, pp. 325–336.
- [19] Cloud9. (2011) Your development environment, in the cloud. Cloud9. [Online]. Available: <https://c9.io/>
- [20] Codeanywhere. (2011) Online code editor. Codeanywhere. [Online]. Available: <https://codeanywhere.net/>